
► HOFA-Akustik



Data sheet

HOFA Acoustic Room Divider



ayout 22.11.2023 KK Page 1/5



HOFA Acoustic Room Divider

The HOFA Acoustic Room Divider is a lightweight and mobile absorber. Wherever it is placed, it provides acoustic separation and makes rooms quieter. It is therefore suitable as a sound absorber between work places and as a stylish partition. It also offers various acoustic possibilities in studios and recording rooms.

Dimensions:

120 cm x 180 cm x 4 cm

Colors:



grey, black

Weight:

5,4 kg with recycled cardboard stands

ca. 8 kg with wooden stands

Material (HOFA PureAkust®):

Acoustically highly effective acoustic room divider (sound absorber class A)

Oeko-Tex Standard 100 (highest product class)

Made of pollutant-free and allergy-friendly HOFA PureAkust

Production:

Manufactured in germany. CO2-saving production and 100% recyclable

Layout 22.11.2023 KK Page 2/5



Cleaning:

Dust or small particles of dirt:

duster or vacuum cleaner

Light stains/marks:

apply mineral water to a soft sponge and wipe carefully

Medium stains/marks:

apply upholstery cleaner to a soft sponge and wipe carefully

Heavy stains/marks:

apply bleach to a soft sponge and rub carefully, then clean with mineral water

When choosing the right cleaning agent, you should make sure that it is color-neutral (white or transparent). Commercial dishwashing liquid may also be suitable. Rub the cleaning agent into the surface with a sponge and then rinse with mineral water. Always start with a mild cleaning agent before using stronger agents such as bleach or similar.

Exterior use:


Suitable for outdoor use. Purely thermally compressed, without adhesives or other soluble additives. It behaves somewhat like clothing when wet:

- -it swells a little when it gets wet, but shrinks again when it dries.
- -there is no risk of mold growth.

As the material is relatively soft, the use in wet areas or unprotected exposure to the weather is not recommended, as it has not been tested.


Layout 22.11.2023 KK Page 3/5

Acoustic effectiveness:



HOFA Acoustic Room Divider, thickness: 4 cm

Measurement of sound absorption in the reverberation room



Layout 22.11.2023 KK Page 4/5

► HOFA-Akustik









► HOFA-Akustik

Phone: +49 7251 3472-400 | Email: akustik@hofa.de | hofa-akustik.de/en

- ▶ HOFA-Plugins Premium plugins for a perfect workflow when producing, mixing, and mastering.
- ▶ HOFA-College The international online academy for audio engineering and music production.
- ▶ HOFA-Media Your experienced partner for high-quality CD and vinyl pressing.
- ▶ HOFA-Studios Recording, mixing & mastering in one of the most renowned recording studios in Germany.

hofa-plugins.de/en/ hofa-college.de/en hofa-media.de

hofa-studios.de/en

HOFA GmbH

Lusshardtstrasse 1-3, 76689 Karlsdorf, GERMANY | Phone 07251 / 3472 - 0 | Email office@hofa.de | www.hofa.de Managing Directors: Jochen Sachse, Jan Bönisch | Court Mannheim HRB No. 231615

Layout 22.11.2023 KK Page 5/5